


Binario

Diagrama de flujo



Código.

```
#include <stdio.h>
```

```
main () /*Función principal*/
```

```
{
```

```
printf(" Decimal Binario ");
```

```
printf("\n#####");
```

```
printf("\n#####");
printf("\n 0      0 0      0      0      0      0      0      0 ");
printf("\n 1          0      0      0      0      0      0      0      1
");
printf("\n 2          0      0      0      0      0      0      1      0
");
printf("\n 3          0      0      0      0      0      0      1      1
");
printf("\n 4          0      0      0      0      0      1      0      0
");
printf("\n 5          0      0      0      0      0      1      0      1
");
printf("\n 6          0      0      0      0      0      1      1      0
");
printf("\n 7          0      0      0      0      0      1      1      1
");
printf("\n 8          0      0      0      0      1      0      0      0
");
printf("\n 9          0      0      0      0      1      0      0      1
");
printf("\n 10         0      0      0      0      1      0      1      0
");
printf("\n 11         0      0      0      0      1      0      1      1
");
printf("\n 12         0      0      0      0      1      1      0      0
");
printf("\n 13         0      0      0      0      1      1      0      1
");
printf("\n 14         0      0      0      0      1      1      1      0
");
```

printf("\n");	15	0	0	0	0	1	1	1	1
printf("\n");	16	0	0	0	1	0	0	0	0
printf("\n");	17	0	0	0	1	0	0	0	1
printf("\n");	18	0	0	0	1	0	0	1	0
printf("\n");	19	0	0	0	1	0	0	1	1
printf("\n");	20	0	0	0	1	0	1	0	0
printf("\n");	21	0	0	0	1	0	1	0	1
printf("\n");	22	0	0	0	1	0	1	1	0
printf("\n");	23	0	0	0	1	0	1	1	1
printf("\n");	24	0	0	0	1	1	0	0	0
printf("\n");	25	0	0	0	1	1	0	0	1
printf("\n");	26	0	0	0	1	1	0	1	0
printf("\n");	27	0	0	0	1	1	0	1	1
printf("\n");	28	0	0	0	1	1	1	0	0
printf("\n");	29	0	0	0	1	1	1	0	1
printf("\n");	30	0	0	0	1	1	1	1	0

printf("\n");	31	0	0	0	1	1	1	1	1
printf("\n");	32	0	0	1	0	0	0	0	0
printf("\n");	33	0	0	1	0	0	0	0	1
printf("\n");	34	0	0	1	0	0	0	1	0
printf("\n");	35	0	0	1	0	0	0	1	1
printf("\n");	36	0	0	1	0	0	1	0	0
printf("\n");	37	0	0	1	0	0	1	0	1
printf("\n");	38	0	0	1	0	0	1	1	0
printf("\n");	39	0	0	1	0	0	1	1	1
printf("\n");	40	0	0	1	0	1	0	0	0
printf("\n");	41	0	0	1	0	1	0	0	1
printf("\n");	42	0	0	1	0	1	0	1	0
printf("\n");	43	0	0	1	0	1	0	1	1
printf("\n");	44	0	0	1	0	1	1	0	0
printf("\n");	45	0	0	1	0	1	1	0	1
printf("\n");	46	0	0	1	0	1	1	1	0

printf("\n");	47	0	0	1	0	1	1	1	1
printf("\n");	48	0	0	1	1	0	0	0	0
printf("\n");	49	0	0	1	1	0	0	0	1
printf("\n");	50	0	0	1	1	0	0	1	0
printf("\n");	51	0	0	1	1	0	0	1	1
printf("\n");	52	0	0	1	1	0	1	0	0
printf("\n");	53	0	0	1	1	0	1	0	1
printf("\n");	54	0	0	1	1	0	1	1	0
printf("\n");	55	0	0	1	1	0	1	1	1
printf("\n");	56	0	0	1	1	1	0	0	0
printf("\n");	57	0	0	1	1	1	0	0	1
printf("\n");	58	0	0	1	1	1	0	1	0
printf("\n");	59	0	0	1	1	1	0	1	1
printf("\n");	60	0	0	1	1	1	1	0	0
printf("\n");	61	0	0	1	1	1	1	0	1
printf("\n");	62	0	0	1	1	1	1	1	0

printf("\n");	63	0	0	1	1	1	1	1	1
printf("\n");	64	0	1	0	0	0	0	0	0
printf("\n");	65	0	1	0	0	0	0	0	1
printf("\n");	66	0	1	0	0	0	0	1	0
printf("\n");	67	0	1	0	0	0	0	1	1
printf("\n");	68	0	1	0	0	0	1	0	0
printf("\n");	69	0	1	0	0	0	1	0	1
printf("\n");	70	0	1	0	0	0	1	1	0
printf("\n");	71	0	1	0	0	0	1	1	1
printf("\n");	72	0	1	0	0	1	0	0	0
printf("\n");	73	0	1	0	0	1	0	0	1
printf("\n");	74	0	1	0	0	1	0	1	0
printf("\n");	75	0	1	0	0	1	0	1	1
printf("\n");	76	0	1	0	0	1	1	0	0
printf("\n");	77	0	1	0	0	1	1	0	1
printf("\n");	78	0	1	0	0	1	1	1	0

printf("\n");	79	0	1	0	0	1	1	1	1
printf("\n");	80	0	1	0	1	0	0	0	0
printf("\n");	81	0	1	0	1	0	0	0	1
printf("\n");	82	0	1	0	1	0	0	1	0
printf("\n");	83	0	1	0	1	0	0	1	1
printf("\n");	84	0	1	0	1	0	1	0	0
printf("\n");	85	0	1	0	1	0	1	0	1
printf("\n");	86	0	1	0	1	0	1	1	0
printf("\n");	87	0	1	0	1	0	1	1	1
printf("\n");	88	0	1	0	1	1	0	0	0
printf("\n");	89	0	1	0	1	1	0	0	1
printf("\n");	90	0	1	0	1	1	0	1	0
printf("\n");	91	0	1	0	1	1	0	1	1
printf("\n");	92	0	1	0	1	1	1	0	0
printf("\n");	93	0	1	0	1	1	1	0	1
printf("\n");	94	0	1	0	1	1	1	1	0

printf("\n");	95	0	1	0	1	1	1	1	1
printf("\n");	96	0	1	1	0	0	0	0	0
printf("\n");	97	0	1	1	0	0	0	0	1
printf("\n");	98	0	1	1	0	0	0	1	0
printf("\n");	99	0	1	1	0	0	0	1	1
printf("\n");	100	0	1	1	0	0	1	0	0
printf("\n");	101	0	1	1	0	0	1	0	1
printf("\n");	102	0	1	1	0	0	1	1	0
printf("\n");	103	0	1	1	0	0	1	1	1
printf("\n");	104	0	1	1	0	1	0	0	0
printf("\n");	105	0	1	1	0	1	0	0	1
printf("\n");	106	0	1	1	0	1	0	1	0
printf("\n");	107	0	1	1	0	1	0	1	1
printf("\n");	108	0	1	1	0	1	1	0	0
printf("\n");	109	0	1	1	0	1	1	0	1
printf("\n");	110	0	1	1	0	1	1	1	0

printf("\n");	111	0	1	1	0	1	1	1	1
printf("\n");	112	0	1	1	1	0	0	0	0
printf("\n");	113	0	1	1	1	0	0	0	1
printf("\n");	114	0	1	1	1	0	0	1	0
printf("\n");	115	0	1	1	1	0	0	1	1
printf("\n");	116	0	1	1	1	0	1	0	0
printf("\n");	117	0	1	1	1	0	1	0	1
printf("\n");	118	0	1	1	1	0	1	1	0
printf("\n");	119	0	1	1	1	0	1	1	1
printf("\n");	120	0	1	1	1	1	0	0	0
printf("\n");	121	0	1	1	1	1	0	0	1
printf("\n");	122	0	1	1	1	1	0	1	0
printf("\n");	123	0	1	1	1	1	0	1	1
printf("\n");	124	0	1	1	1	1	1	0	0
printf("\n");	125	0	1	1	1	1	1	0	1
printf("\n");	126	0	1	1	1	1	1	1	0

printf("\n");	127	0	1	1	1	1	1	1	1
printf("\n");	128	1	0	0	0	0	0	0	0
printf("\n");	129	1	0	0	0	0	0	0	1
printf("\n");	130	1	0	0	0	0	0	1	0
printf("\n");	131	1	0	0	0	0	0	1	1
printf("\n");	132	1	0	0	0	0	1	0	0
printf("\n");	133	1	0	0	0	0	1	0	1
printf("\n");	134	1	0	0	0	0	1	1	0
printf("\n");	135	1	0	0	0	0	1	1	1
printf("\n");	136	1	0	0	0	1	0	0	0
printf("\n");	137	1	0	0	0	1	0	0	1
printf("\n");	138	1	0	0	0	1	0	1	0
printf("\n");	139	1	0	0	0	1	0	1	1
printf("\n");	140	1	0	0	0	1	1	0	0
printf("\n");	141	1	0	0	0	1	1	0	1
printf("\n");	142	1	0	0	0	1	1	1	0

printf("\n");	143	1	0	0	0	1	1	1	1
printf("\n");	144	1	0	0	1	0	0	0	0
printf("\n");	145	1	0	0	1	0	0	0	1
printf("\n");	146	1	0	0	1	0	0	1	0
printf("\n");	147	1	0	0	1	0	0	1	1
printf("\n");	148	1	0	0	1	0	1	0	0
printf("\n");	149	1	0	0	1	0	1	0	1
printf("\n");	150	1	0	0	1	0	1	1	0
printf("\n");	151	1	0	0	1	0	1	1	1
printf("\n");	152	1	0	0	1	1	0	0	0
printf("\n");	153	1	0	0	1	1	0	0	1
printf("\n");	154	1	0	0	1	1	0	1	0
printf("\n");	155	1	0	0	1	1	0	1	1
printf("\n");	156	1	0	0	1	1	1	0	0
printf("\n");	157	1	0	0	1	1	1	0	1
printf("\n");	158	1	0	0	1	1	1	1	0

printf("\n");	159	1	0	0	1	1	1	1	1
printf("\n");	160	1	0	1	0	0	0	0	0
printf("\n");	161	1	0	1	0	0	0	0	1
printf("\n");	162	1	0	1	0	0	0	1	0
printf("\n");	163	1	0	1	0	0	0	1	1
printf("\n");	164	1	0	1	0	0	1	0	0
printf("\n");	165	1	0	1	0	0	1	0	1
printf("\n");	166	1	0	1	0	0	1	1	0
printf("\n");	167	1	0	1	0	0	1	1	1
printf("\n");	168	1	0	1	0	1	0	0	0
printf("\n");	169	1	0	1	0	1	0	0	1
printf("\n");	170	1	0	1	0	1	0	1	0
printf("\n");	171	1	0	1	0	1	0	1	1
printf("\n");	172	1	0	1	0	1	1	0	0
printf("\n");	173	1	0	1	0	1	1	0	1
printf("\n");	174	1	0	1	0	1	1	1	0

printf("\n");	175	1	0	1	0	1	1	1	1
printf("\n");	176	1	0	1	1	0	0	0	0
printf("\n");	177	1	0	1	1	0	0	0	1
printf("\n");	178	1	0	1	1	0	0	1	0
printf("\n");	179	1	0	1	1	0	0	1	1
printf("\n");	180	1	0	1	1	0	1	0	0
printf("\n");	181	1	0	1	1	0	1	0	1
printf("\n");	182	1	0	1	1	0	1	1	0
printf("\n");	183	1	0	1	1	0	1	1	1
printf("\n");	184	1	0	1	1	1	0	0	0
printf("\n");	185	1	0	1	1	1	0	0	1
printf("\n");	186	1	0	1	1	1	0	1	0
printf("\n");	187	1	0	1	1	1	0	1	1
printf("\n");	188	1	0	1	1	1	1	0	0
printf("\n");	189	1	0	1	1	1	1	0	1
printf("\n");	190	1	0	1	1	1	1	1	0

printf("\n");	191	1	0	1	1	1	1	1	1
printf("\n");	192	1	1	0	0	0	0	0	0
printf("\n");	193	1	1	0	0	0	0	0	1
printf("\n");	194	1	1	0	0	0	0	1	0
printf("\n");	195	1	1	0	0	0	0	1	1
printf("\n");	196	1	1	0	0	0	1	0	0
printf("\n");	197	1	1	0	0	0	1	0	1
printf("\n");	198	1	1	0	0	0	1	1	0
printf("\n");	199	1	1	0	0	0	1	1	1
printf("\n");	200	1	1	0	0	1	0	0	0
printf("\n");	201	1	1	0	0	1	0	0	1
printf("\n");	202	1	1	0	0	1	0	1	0
printf("\n");	203	1	1	0	0	1	0	1	1
printf("\n");	204	1	1	0	0	1	1	0	0
printf("\n");	205	1	1	0	0	1	1	0	1
printf("\n");	206	1	1	0	0	1	1	1	0

printf("\n");	207	1	1	0	0	1	1	1	1
printf("\n");	208	1	1	0	1	0	0	0	0
printf("\n");	209	1	1	0	1	0	0	0	1
printf("\n");	210	1	1	0	1	0	0	1	0
printf("\n");	211	1	1	0	1	0	0	1	1
printf("\n");	212	1	1	0	1	0	1	0	0
printf("\n");	213	1	1	0	1	0	1	0	1
printf("\n");	214	1	1	0	1	0	1	1	0
printf("\n");	215	1	1	0	1	0	1	1	1
printf("\n");	216	1	1	0	1	1	0	0	0
printf("\n");	217	1	1	0	1	1	0	0	1
printf("\n");	218	1	1	0	1	1	0	1	0
printf("\n");	219	1	1	0	1	1	0	1	1
printf("\n");	220	1	1	0	1	1	1	0	0
printf("\n");	221	1	1	0	1	1	1	0	1
printf("\n");	222	1	1	0	1	1	1	1	0

printf("\n");	223	1	1	0	1	1	1	1	1
printf("\n");	224	1	1	1	0	0	0	0	0
printf("\n");	225	1	1	1	0	0	0	0	1
printf("\n");	226	1	1	1	0	0	0	1	0
printf("\n");	227	1	1	1	0	0	0	1	1
printf("\n");	228	1	1	1	0	0	1	0	0
printf("\n");	229	1	1	1	0	0	1	0	1
printf("\n");	230	1	1	1	0	0	1	1	0
printf("\n");	231	1	1	1	0	0	1	1	1
printf("\n");	232	1	1	1	0	1	0	0	0
printf("\n");	233	1	1	1	0	1	0	0	1
printf("\n");	234	1	1	1	0	1	0	1	0
printf("\n");	235	1	1	1	0	1	0	1	1
printf("\n");	236	1	1	1	0	1	1	0	0
printf("\n");	237	1	1	1	0	1	1	0	1
printf("\n");	238	1	1	1	0	1	1	1	0


```
printf("\n      255      1      1      1      1      1      1      1      1  
      ");
```

```
getchar();
```

```
}
```